

GUIDE BAR & SAW CHAIN REFERENCE CHART



Model	Gauge (in)	Pitch (in)	GUIDE BAR					SAW CHAIN					
			Length (cm)	Mount type	Type	Part number	Bar type	Nose type (Replaceable nose)	Drive links	Oregon type	Part number	Carlton type	
CS-2510TES	0.050	3/8	20	C	20RC50S-3/8	X120-000020	Laminate	Sprocket	35	91PX	X220-000020	N1C-BL	
			25		25RC50S-3/8	X121-000002			40		X221-000100		
			30		30RC50M-3/8 ECHO	X122-000072			47		X222-000140		
CS-2510TESC	0.050	1/4	20	C	20C50SLDEC	X100-0000600	Solid	Hard	52	25AP	X200-000000	-	
			25		25C50SL ECHO	X101-000010			60		431610-10030		
CS-260TES	0.050	3/8	20	C	20RC50S-3/8	X120-000020	Laminate	Sprocket	35	91PX	X220-000020	N1C-BL	
			25		25RC50S-3/8	X121-000002			40		X221-000100		
			30		30RC50M-3/8 ECHO	X122-000072			47		X222-000140		
CS-280T CS-280TES	0.050	3/8	20	C	20RC50S-3/8	X120-000020	Laminate	Sprocket	35	91PX	X220-000020	N1C-BL	
			25		25RC50S-3/8	X121-000002			40		X221-000100		
			30		30RC50M-3/8 ECHO	X122-000072			47		X222-000140		
CS-280TESC	0.050	1/4	25	C	25C50SL ECHO	X101-000010	Solid	Hard	60	25AP	431610-10030	-	
					25LC50S-1/4 CEC	X101-000170							Laminate
CS-3000	0.050	3/8	30	C	30RC50M-3/8 ECHO	X122-000072	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL	
			35		35RC50M-3/8 ECHO	X123-000132			53		X223-000130		
CS-303T	0.050	3/8	30	C	30RC50M-3/8 ECHO	X122-000072	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL	
			35		35RC50M-3/8 ECHO	X123-000132			53		X223-000130		
CS-320TES	0.050	3/8	30	C	30RC50M-3/8 ECHO	X122-000072	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL	
			35		35RC50M-3/8 ECHO	X123-000132			53		X223-000130		
CS-350TES	0.050	3/8	30	C	30RC50M-3/8 ECHO	X122-000072	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL	
			35		35RC50M-3/8 ECHO	X123-000132			53		X223-000130		
CS-360TES	0.050	3/8	30		30RC50MDC-3/8 EC	X122-000340	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL	
					35RC50MDC-3/8 EC	X123-000550			53		X223-000130		
	0.050	1/4	30	C	30C50SL ECHO	X102-000070	Solid	Hard	68	25A	X202-000010	-	
			35		35C50SL ECHO	X103-000110			76	25A	X203-000000		
									25AP	431612-10030			
CS-281WES	0.050	3/8	20	C	20RC50S-3/8	X120-000020	Laminate	Sprocket	35	91PX	X220-000020	N1C-BL	
					25	25RC50S-3/8			X121-000002		40		X221-000100
					30	30RC50M-3/8 ECHO			X122-000072		47		X222-000140
			1/4	30		30C50SL ECHO	X102-000070	Solid	Hard	68	25A	X202-000010	-
CS-350WES	0.050	3/8	30	C	30RC50M-3/8 ECHO	X122-000072	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL	
					35	35RC50-3/8				430219-38732	91VXL		X222-000130
			35		35RC50M-3/8 ECHO	X123-000132			53	91PX	X223-000130		
					40	40RC50-3/8				430211-13432	91VXL		X223-000080
								53	91PX	X223-000130			
									91VXL	X223-000080			
									53	91PX	X223-000130		
									91VXL	X223-000080			
									53	91PX	X223-000130		
									91VXL	X223-000080			
									58	91PX	X224-000070		
									91VXL	X224-000030			
CS-361WES	0.050	3/8	30	C	30RC50M-3/8 ECHO	X122-000072	Laminate	Sprocket	47	91PX	X222-000140	N1C-BL	
					35	35RC50-3/8				430219-38732	91VXL		X222-000130
			35		35RC50M-3/8 ECHO	X123-000132			53	91PX	X223-000130		
					40	40RC50-3/8				430211-13432	91VXL		X223-000080
		1/4	30		30C50SL ECHO	X102-000070	Solid	Hard	68	25AP	431611-10030		-
			35		35C50SL ECHO	X103-000110			76	25AP	431612-10030		
									25A	X203-000000			
CS-309ES	0.050	3/8	35	C	35RC50M-3/8ECHO	X123-000550	Laminate	Sprocket	53	91VXL	X223-000080	N1C-BL	
CS-310ES	0.043	3/8	30	C	30RC43S-3/8	X122-000180	Laminate	Sprocket	45	90PX	X222000-150	-	
			35		35RC43S-3/8 ECHO	X123-000230			52		X223000-150		
	0.050		30		30RC50M-3/8 ECHO	X122-000072			53	91PX	X222-000140	N1C-BL	
			35		35RC50M-3/8 ECHO	X123-000132				91VXL	X222-000130		
									91PX	X223-000130	N1C-BL		
									91VXL	X223-000080			
CS-352ES	0.043	3/8	30	C	30RC43S-3/8	X122-000180	Laminate	Sprocket	45	90PX	X222000-150	-	
			35		35RC43S-3/8 ECHO	X123-000230			52		X223000-150		
	0.050		30		30RC50M-3/8 ECHO	X122-000072			53	91PX	X222-000140	N1C-BL	
			35		35RC50M-3/8 ECHO	X123-000132				91VXL	X222-000130		
									91PX	X223-000130			
									91VXL	X223-000080			

Model	Gauge (in)	Pitch (in)	GUIDE BAR					SAW CHAIN					
			Length (cm)	Mount type	Type	Part number	Bar type	Nose type (Replaceable nose)	Drive links	Oregon type	Part number	Carlton type	
CS-353ES (RUS)	0.050	3/8	35	C	35RC50SLD-3/8 EC	X123-000530	Laminate	Sprocket	52	91VXL	X223-000090	N1C-BL	
			35		35RC50MDC-3/8 EC	X123-000550			53		X223-000080		
CS-353ES (BASIC)	0.050	3/8	35	C	35RC50M-3/8 ECHO	X123-000132	Laminate	Sprocket	53	91VXL	X223-000080	N1C-BL	
CS-353ES (KOR)	0.050	3/8	40	C	40RC50-3/8	430211-13432	Laminate	Sprocket	58	91VXL	X224-000030	N1C-BL	
CS-3700ES (RUS)	0.050	0.325	40	C	40RD50-325	430511-17832	Laminate	Sprocket	66	95VPX	431711-60031	K1NK-BL	
CS-370ES	0.050	3/8	35	C	35RC50M-3/8 ECHO	X123-000132	Laminate	Sprocket	53	91VXL	X223-000080	N1C-BL	
			40		40RC50-3/8	430211-13432			58		X224-000030		
	0.058	0.325	33		33RD58-325	430513-16633			56	21BPX	431713-30231	K2L	
			38		38RD58-325	430521-37333			64		431721-30231		
CS-390ESX (EU)	0.050	0.325	33	V	33LRV50D-325EC	X122-000380	Laminate	Sprocket	56	95VPX	X242-000000	K1NK-BL	
			38		38LRV50D-325 EC	X123-000580			64		X243-000000		
CS-390ESX (RUS)	0.050	0.325	38	V	38LRV50D-325 EC	X123-000580	Laminate	Sprocket	64	95VPX	X243-000000	K1NK-BL	
CS-4200ES (RUS)	0.050	0.325	40	C	40RD50-325	430511-17832	Laminate	Sprocket	66	95VPX	431711-60031	-	
CS-420ES (EU)	0.058	0.325	38	C	38RD58-325	430521-37333	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
			43		43RD58-325	430527-37333			72		431717-30231		
CS-420ES (AUS, BASIC, PRC)	0.058	0.325	38	C	38RD58-325	430521-37333	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
			43		43RD58-325	430527-37333			72		431717-30231		
CS-421ES (KOR)	0.058	0.325	45	V	45RV58-325	430517-30133	Solid	Sprocket (X160000000)	72	21LPX	X245-000011	K2L	
			45		45RV58-325	430517-30133			72		X245-000011		
CS-450	0.058	0.325	38	V	38RV58-325	430521-30133	Solid	Sprocket (X160000000)	64	21BPX	431721-30231	K2L	
			45		45RV58-325	430517-30133			72		431717-30231		
			50		50RV58-325	430512-30133			80		431712-30231		
CS-450 (RUS)	0.058	0.325	38	C	38RD58-325	430521-37333	Laminate	Sprocket					
CS-452ESX (RUS)	0.058	0.325	38	C	38RD58-325	430521-37333	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
CS-452ESX (EU)	0.058	0.325	33	C	33RD58-325	430513-16633	Laminate	Sprocket	56	21BPX	431713-30231	K2L	
			38		V	38LRV58LD-325EC			X123-000600		64		431721-30231
CS-510	0.058	0.325	38	V	38RV58-325	430521-30133	Solid	Sprocket (X160000000)	64	21BPX	431721-30231	K2L	
			45		45RV58-325	430517-30133			72		431717-30231		
			50		50RV58-325	430512-30133			80		431712-30231		
CS-525	0.058	0.325	45	V	45RV58LD-325 EEC	X125-000310	Solid	Sprocket (X160000090)	72	21BPX	431717-30231	K2L	
CS-490ES	0.058	0.325	38	V	38LRV58LD-325EC	X123-000600	Laminate	Sprocket	64	21BPX	431721-30231	K2L	
			45		45LRV58LD-325EC	X125-000330			72		431717-30231		
			50		50LRV58LD-325EC	X126-000270			80		431712-30231		
CS-501SX	0.058	0.325	40	V	40RV58D-325EEC	X124-000690	Solid	Sprocket (X160000090)	68	21BPX	431711-38331	K2L	
			45		45RV58D-325EEC	X125-000350			72		431717-30231		
			50		50RV58D-325EEC	X126-000290			80		431712-30231		
CS-550	0.058	0.325	38	V	38RV58-325	430521-30133	Solid	Sprocket (X160000000)	64	21BPX	431721-30231	K2L	
			45		45RV58-325	430517-30133			72		431717-30231		
			50		50RV58-325	430512-30133			80		431712-30231		
	3/8	40	40RV58-3/8E		X124-000501	60			73LGX	X264-000040	A2LM		
		45	45RV58-3/8E		X125-000181	64				431017-30831			
		50	50RV58-3/8E		X126-000151	72				431012-30831			
CS-590	0.058	3/8	40	S	40LRS58-3/8 ECHO	X124-000480	Laminate	Sprocket	60	73LGX	X264-000040	A2LM	
			45		45RS58T-3/8 EEC	430217-30834	Solid	Sprocket (X160000100)	64		431017-30831		
					45LRS58-3/8 ECHO	X125-000170	Laminate	Sprocket					
			50		50RS58T-3/8 EEC	430212-30834	Solid	Sprocket (X160000100)	72		431012-30831		
					50LRS58-3/8 ECHO	X126-000140	Laminate	Sprocket					
			60		60RS58T-3/8 EEC	430213-30834	Solid	Sprocket (X160000100)	84		431013-30831		
60LRS58D-3/8 EC	X128-000040	Laminate		Sprocket									
CS-600S CS-610 (PRC)	0.058	3/8	40	S	40RS58T-3/8 EEC	430211-30834	Solid	Sprocket (X160000100)	60	73LPX	X264-000060	A2LM-BL	
					40LRS58-3/8 ECHO	X124-000480	Laminate	Sprocket					
			45		45RS58T-3/8 EEC	430217-30834	Solid	Sprocket (X160000100)	64		X265-000060		
					45LRS58-3/8 ECHO	X125-000170	Laminate	Sprocket					
					18D8TW3866	X105-000050	Solid	Hard	66		X265-000030		
			50		50RS58T-3/8 EEC	430212-30834	Solid	Sprocket (X160000100)	72		X266-000060		
					50LRS58-3/8 ECHO	X126-000140	Laminate	Sprocket					
					20D8TW3872	X106-000050	Solid	Hard					
			60		60RS58T-3/8 EEC	430213-30834	Solid	Sprocket (X160000100)	84		X268-000040		
					60LRS58D-3/8 EC	X128-000040	Laminate	Sprocket					
					24D8TW3884	X108-000020	Solid	Hard					
			70		70RS58T-3/8 EEC	430215-30834	Solid	Sprocket (X160000100)	96		X270-000060		
28D8TW3892	X110-000000	Solid		Hard	92	X270-000050							

GUIDE BAR & SAW CHAIN REFERENCE CHART

Model	Gauge (in)	Pitch (in)	GUIDE BAR						SAW CHAIN				
			Length (cm)	Mount type	Type	Part number	Bar type	Nose type (Replaceable nose)	Drive links	Oregon type	Part number	Carton type	
CS-605	0.058	3/8	40	S	40LRS58-3/8 ECHO	X124-000480	Laminate	Sprocket	60	73LGX	X264-000040	A2LM	
			45		45LRS58-3/8 ECHO	X125-000170		Sprocket			64		431017-30831
			45		45RS58T-3/8 EEC	430217-30834	Solid	Sprocket (X160000100)	72				431012-30831
			50		50RS58T-3/8 EEC	430212-30834			84		431013-30831		
			60		60RS58T-3/8 EEC	430213-30834							
CS-620SX (BASIC, EU, RUS)	0.058	3/8	45	S	45RS58D-3/8 EEC	X125-000260	Solid	Sprocket (X160000080)	64	73LPX	X265-000060	A2LM-BL	
			50		50RS58D-3/8 EEC	X126-000190					72		X266-000060
			60		60RS58D-3/8 EEC	X128-000050					84		X268-000040
CS-620SX (TUR)	0.058	3/8	50	S	50S58D-3/8 EEC	X106-000060	Solid	Hard	72	73LPX	X266-000060	A2LM-BL	
CS-680	0.058	3/8	45	S	45RS58T-3/8 EEC	430217-30834	Solid	Sprocket (X160000100)	64	73LGX	431017-30831	A2LM	
			50		50RS58T-3/8 EEC	430212-30834					72		431012-30831
			60		60RS58T-3/8 EEC	430213-30834					84		431013-30831
CS-680 (RUS)	0.058	3/8	45	S	45RS58T-3/8 EEC	430217-30834	Solid	Sprocket (X160000100)	64	73LGX	431017-30831	A2LM	
			45		45LRS58-3/8 ECHO	X125-000170	Laminate	Sprocket					
			50		50RS58T-3/8 EEC	430212-30834	Solid	Sprocket (X160000100)	72		431012-30831		
			50		50LRS58-3/8 ECHO	X126-000140	Laminate	Sprocket					
60	60RS58T-3/8 EEC	430213-30834	Solid	Sprocket (X160000100)	84	431013-30831							
CS-680S	0.058	3/8	40	S	40RS58T-3/8 EEC	430211-30834	Solid	Sprocket (X160000100)	60	73LPX	X264-000060	A2LM-BL	
			40		40LRS58-3/8 ECHO	X124-000480	Laminate	Sprocket					
			45		45RS58T-3/8 EEC	430217-30834	Solid	Sprocket (X160000100)	64		X265-000060		
					45	45LRS58-3/8 ECHO	X125-000170	Laminate			Sprocket		
					45	18D8TW3866	X105-000050	Solid	Hard		66		X265-000030
			50		50RS58T-3/8 EEC	430212-30834	Solid	Sprocket (X160000100)	72		X266-000060		
					50	50LRS58-3/8 ECHO	X126-000140	Laminate			Sprocket		
					50	20D8TW3872	X106-000050	Solid	Hard				
			60		60RS58T-3/8 EEC	430213-30834	Solid	Sprocket (X160000100)	84		X268-000040		
					60	60LRS58D-3/8 EC	X128-000040	Laminate			Sprocket		
					60	24D8TW3884	X108-000020	Solid	Hard		92		X270-000050
					60	28D8TW3892	X110-000000	Solid	Hard				
			70		70RS58T-3/8 EEC	430215-0834	Solid	Sprocket (X160000100)	96		X270-000060		
CS-8002 (EU)	0.058	3/8	45	S	45RS58T-3/8 EEC	430217-30834	Solid	Sprocket (X160000100)	64	73LGX	431017-30831	A2LM	
					45	45S58		430217-31732			Hard		
			50		50RS58T-3/8 EEC	430212-30834		Sprocket (X160000100)	72		431012-30831		
					50	50S58D-3/8 EEC		X106-000060			Hard		
			60		50S58	430212-31733		Hard	84		431013-30831		
					60	60RS58T-3/8 EEC		430213-30834			Sprocket (X160000100)		
			70		60S58	430213-31732		Hard	96		431015-30831		
					70	70RS58T-3/8 EEC		430215-30834			Sprocket (X160000100)		
70	70S58	430215-31733	Hard										
CS-8002 (BASIC)	0.058	3/8	40	S	40RS58T-3/8 EEC	430211-30834	Solid	Sprocket (X160000100)	60	73LPX	X264-000060	A2LM-BL	
			40		40LRS58-3/8 ECHO	X124-000480	Laminate	Sprocket					
			45		45RS58T-3/8 EEC	430217-30834	Solid	Sprocket (X160000100)	64		X265-000060		
					45	45LRS58-3/8 ECHO	X125-000170	Laminate			Sprocket		
					45	18D8TW3866	X105-000050	Solid	Hard		66		X265-000030
			50		50RS58T-3/8 EEC	430212-30834	Solid	Sprocket (X160000100)	72		X266-000060		
					50	50LRS58-3/8 ECHO	X126-000140	Laminate			Sprocket		
					50	20D8TW3872	X106-000050	Solid	Hard				
			60		60RS58T-3/8 EEC	430213-30834	Solid	Sprocket (X160000100)	84		X268-000040		
					60	60LRS58D-3/8 EC	X128-000040	Laminate			Sprocket		
					60	24D8TW3884	X108-000020	Solid	Hard		92		X270-000050
					60	28D8TW3892	X110-000000	Solid	Hard				
70	70RS58T-3/8 EEC	430215-30834	Solid	Sprocket (X160000100)	96	X270-000060							
80	32D8PS3805	X132-000010	Solid	Sprocket	105	X272-000030	-						
CS-1201	0.063	0.404	83	G	36W63	X114-000000	Solid	Hard	104	27	431135-16432	B3EP	